INDEX TO VOLUME 61

New names and the final members of new combinations are in **bold face type.**

Abies 497, 500–503, 518–522; alba 510, 515, 519, 524; amabilis 505, 510, 513, 524; arizonica 505, 510, 512, 524; balsamea 352, 505, 506, 510, 513, 515, 516, 523, 524; Beissneriana 510, 515; bifida 520; Borisii-regis 510, 514; Bornmülleriana 510, 514; cephalonica 510, 514, 524; chensiensis 510, 514, 523; cilicica 510, 514, 523; concolor 505, 509, 510, 513, 523; Delavayi 510, 513, 524; Douglasii 518; duplex 519; excelsa 520; Fargesii 510, 514; Faxoniana 510, 514, 523; firma 498, 499, 510, 512, 513, 520, 523, 524; Forrestii 510, 513, 523; Fraseri 505, 506, 510, 515, 524; grandis 505, 511, 513, 523; Hickeli 517; holophylla 511, 514, 524; homolepis 511, 514, 523, 524; koreana 511, 513, 524; lasiocarpa 505, 509, 511, 513, 519, 524; magnifica 499, 505, 511, 513, 523, 524; Mariesii 511, 513, 523; marocana 500, 521; nebrodensis 500, 517; nephrolepis 511, 515, 523; nobilis 499, 505, 511, 513, 523, 524; Nordmanniana 500, 511, 515, 523; numidica 511, 513, 521; pardei 518; Pindrow 511, 514, 515, 523, 524; Pinsapo 502, 511, 512, 521, 523; recurvata 511, 514, 524; religiosa 504, 511, 515; sachalinensis 511, 513, 523; Semenovii 500, 517; sibirica 511, 513, 524; spectabilis 511, 514, 515, 523, 524; squamata 511, 514, 523; sutchuenensis 511, 515, 524; Veitchii 511, 513, 520, 523; venusta 502, 505, 511, 514, 524; Williamsonii 520

Abies cultivated in the United States, Identification, by leaf structure, of the species of 497

Abutilon 55–57, 60, 63–67; arborum 61, 62; Avicennae 54; Darwinii tesselatum 55; Eclipse 55–58, 60, 63–66; hirtum 55; hybridum 58, 60; indicum 54, 62; megapotamicum 54; megapotamicum variegatum 55–58, 60, 62–66; Mulleri 56–60, 63–66; Pattersoni 61; Regnellii 56, 57, 59, 60, 63, 67; striatum 53–55, 58, 62; Thompsoni 53–68; tonelianum 60; vitifolium 61

Abutilon, Studies of the occurrence and transmission of virus diseases in the genus 53

Acacia Greggi 374, 375; macracantha 376–378; occidentalis 375

Acer campestris 321; saccharum 249

Actinonema 327; Rosae 291–293, 327

Aecidium 475, 476; elatinum 516

Aggregata eberthi 352, 353

Agriculture, Aims and objectives of plant introduction of the U. S. Department of 75

Aims and objectives of plant introduction of the U. S. Department of Agriculture 75

Albugo candida 314

Allomyces javanicus 15, 16

Althaea narbonensis 53; officinalis 53, 61; rosea 53, 54, 61, 482, 485

American Botanical Literature, Index to 41, 93, 163, 225, 271, 330, 397, 461, 525

Ampelopsis quinquefolia 103

Amphicarpon 213; amphicarpon 211; floridanum 211; Purshii 211

Amphicarpon floridanum, Flowering and seed production in 211

Anatomy of the leaf of Zeugites munroana, an anomalous grass, The 429

Anemone virginiana 480, 485

Aniba guyanensis 191; **opaca**: 191; rosaeodora amazonica 191

Anoda hastata 53, 54

Antennaria 86

Anthoceros levis 383; punctatus 383

Antirrhinum majus 482

Arceuthobium cryptopodum 26

Archegonia of Pellaea viridis (Forsk.) Prantl, The 9

Arisaema 159; triphyllum 316

ARONESCU, ALICE, Diplocarpon Rosae: from spore germination to haustorium formation 291

Artemisia tridentata 373

Ascaris megalocephala 123

Aspergillus niger 241, 243–247

Aspergillus niger by iron, zinc, and other heavy metal poisons, The so-called "chemical stimulation" of 241

Asteroma radiosum 291; Rosae 291

Atriplex canescens 374

Bacillus amylovorus 174–177, 179, 180, 184, 186, 187; radiciola 174, 187

Bacterium campestre 173–177, 184–188; coli 178; flaccumfaciens 178, 181; medicaginis 178, 181; Phaseoli 178, 181; tabacum 177, 187; tumefaciens 104, 106–110, 112–115,

INDEX TO VOLUME 61

New names and the final members of new combinations are in **bold face type.**

Abies 497, 500–503, 518–522; alba 510, 515, 519, 524; amabilis 505, 510, 513, 524; arizonica 505, 510, 512, 524; balsamea 352, 505, 506, 510, 513, 515, 516, 523, 524; Beissneriana 510, 515; bifida 520; Borisii-regis 510, 514; Bornmülleriana 510, 514; cephalonica 510, 514, 524; chensiensis 510, 514, 523; cilicica 510, 514, 523; concolor 505, 509, 510, 513, 523; Delavayi 510, 513, 524; Douglasii 518; duplex 519; excelsa 520; Fargesii 510, 514; Faxoniana 510, 514, 523; firma 498, 499, 510, 512, 513, 520, 523, 524; Forrestii 510, 513, 523; Fraseri 505, 506, 510, 515, 524; grandis 505, 511, 513, 523; Hickeli 517; holophylla 511, 514, 524; homolepis 511, 514, 523, 524; koreana 511, 513, 524; lasiocarpa 505, 509, 511, 513, 519, 524; magnifica 499, 505, 511, 513, 523, 524; Mariesii 511, 513, 523; marocana 500, 521; nebrodensis 500, 517; nephrolepis 511, 515, 523; nobilis 499, 505, 511, 513, 523, 524; Nordmanniana 500, 511, 515, 523; numidica 511, 513, 521; pardei 518; Pindrow 511, 514, 515, 523, 524; Pinsapo 502, 511, 512, 521, 523; recurvata 511, 514, 524; religiosa 504, 511, 515; sachalinensis 511, 513, 523; Semenovii 500, 517; sibirica 511, 513, 524; spectabilis 511, 514, 515, 523, 524; squamata 511, 514, 523; sutchuenensis 511, 515, 524; Veitchii 511, 513, 520, 523; venusta 502, 505, 511, 514, 524; Williamsonii 520

Abies cultivated in the United States, Identification, by leaf structure, of the species of 497

Abutilon 55–57, 60, 63–67; arborum 61, 62; Avicennae 54; Darwinii tesselatum 55; Eclipse 55–58, 60, 63–66; hirtum 55; hybridum 58, 60; indicum 54, 62; megapotamicum 54; megapotamicum variegatum 55–58, 60, 62–66; Mulleri 56–60, 63–66; Pattersoni 61; Regnellii 56, 57, 59, 60, 63, 67; striatum 53–55, 58, 62; Thompsoni 53–68; tonelianum 60; vitifolium 61

Abutilon, Studies of the occurrence and transmission of virus diseases in the genus 53

Acacia Greggi 374, 375; macracantha 376–378; occidentalis 375

Acer campestris 321; saccharum 249

Actinonema 327; Rosae 291–293, 327

Aecidium 475, 476; elatinum 516

Aggregata eberthi 352, 353

Agriculture, Aims and objectives of plant introduction of the U. S. Department of 75

Aims and objectives of plant introduction of the U. S. Department of Agriculture 75

Albugo candida 314

Allomyces javanicus 15, 16

Althaea narbonensis 53; officinalis 53, 61; rosea 53, 54, 61, 482, 485

American Botanical Literature, Index to 41, 93, 163, 225, 271, 330, 397, 461, 525

Ampelopsis quinquefolia 103

Amphicarpon 213; amphicarpon 211; floridanum 211; Purshii 211

Amphicarpon floridanum, Flowering and seed production in 211

Anatomy of the leaf of Zeugites munroana, an anomalous grass, The 429

Anemone virginiana 480, 485

Aniba guyanensis 191; **opaca**: 191; rosaeodora amazonica 191

Anoda hastata 53, 54

Antennaria 86

Anthoceros levis 383; punctatus 383

Antirrhinum majus 482

Arceuthobium cryptopodum 26

Archegonia of Pellaea viridis (Forsk.) Prantl, The 9

Arisaema 159; triphyllum 316

ARONESCU, ALICE, Diplocarpon Rosae: from spore germination to haustorium formation 291

Artemisia tridentata 373

Ascaris megalocephala 123

Aspergillus niger 241, 243–247

Aspergillus niger by iron, zinc, and other heavy metal poisons, The so-called "chemical stimulation" of 241

Asteroma radiosum 291; Rosae 291

Atriplex canescens 374

Bacillus amylovorus 174–177, 179, 180, 184, 186, 187; radiciola 174, 187

Bacterium campestre 173–177, 184–188; coli 178; flaccumfaciens 178, 181; medicaginis 178, 181; Phaseoli 178, 181; tabacum 177, 187; tumefaciens 104, 106–110, 112–115,

174, 176, 177, 180, 181, 184–187; typhosus 178; vignae 177, 187
BALDWIN, HENRY I., Some physiological effects of girdling northern hardwoods 249
Batrachospermum 437
Bauhinia longiflora 379
Bebbia juncea 374
Berberis vulgaris 303, 327
BERGNER, A. DOROTHY, AND BLAKESLEE, A. F., Cytology of a translocation of the 1.2 chromosome in Datura 197
BERRY, EDWARD W., Pleistocene plants from Cuba 237
Besseya 86
Betula lutea 249
Biological specialization in Darluca filum 475
Black rot of cabbage, A cytological study of the early infection stages of the 173
BLAKESLEE, A. F., AND BERGNER, A. DOROTHY, Cytology of a translocation of the 1.2 chromosome in Datura 197
Blepharospora cambiovora 155
Botanical Literature, Index to American 41, 93, 163, 225, 271, 330, 397, 461, 525
Botrytis 158, 303, 320; cinerea 301–303, 318, 319, 323, 324, 327; Tulipae 319
Box huckleberry as an illustration of the need of field work, The 81
Bracteosae, Scrophulariaceae of the northwestern United States—II. Pedicularis of the group 441
Brassica 175, 176, 220; campestre 173
Brazilian species of the genus Utricularia, A new 367
Bryophyllum 107, 110, 355, 363, 364; calycinum 106, 114, 356, 361–365
Bunchosia Palmeri 379

Caeoma nitens 353
Caesalpinia cacalaco 379
Campanula rapunculoides 482
Capsella bursa pastoris 314
Capsicum 1, 4, 6, 7
Carcinogenic agents of animals, A preliminary report on plants treated with the 103
Carex 487; normalis 477, 479, 489
Carnegiea gigantea 106, 109, 114
Cassia biflora 377, 378, 476
Ceiba acuminata 378
Celtis pallida 375
Cercidium 375, 377; microphyllum 375; sonorae 375, 378; torreyanum 374, 375, 378, 380
Cerotelium 475
Chamaecyparis 321
"Chemical stimulation" of Aspergillus niger by iron, zinc, and other heavy metal poisons, The so-called 241
Chromosome in Datura, Cytology of a translocation of the 1.2. 197
Chromosomes of Riccia glauca, Haploid 381
Chrysobalanus 238, 239; eocenica 238; icaco 237, 238
Chrysomyxa 475; Abietis 476
Chytridium Mesocarpi 15
Cicinnobolus 323
Circaea alpina 480, 485, 490
Citrus 316
Cladonia 91
Cladosporium 323
Coleosporium 475, 480, 490; Campanulae 481, 482, 486; delicatulum 476, 486; Solidaginis 481–483, 486; Sonchi-arvensis 353
Colletotrichum Gloeosporiodes 316, 324
Colorado, The rate of growth of the ponderosa pine in Estes Park 19
Colubrina glabra 375
Comarella sabulosa 260
Completoria complens 314, 326
Condalia spathulata 375
Conocarpus 237
Cordia Greggii 375, 377
Cotyledonary characters in Cucurbita Pepo, Inheritance of 263
Couratari coriacea 195
Coursetia glandulosa 377
Coutarea pterosperma 378
CRAIG, THOMAS, A revision of the subgenus Hugelia of the genus Gilia (Polemoniaceae) 385, 411
Crescentia alata 379
Cronartium ribicola 314, 324, 353
Croton alamosanus 379
Cryptogams, its needs and methods, Field work with the 89
Cuba, Pleistocene plants from 237
Cucurbita 1, 3, 4, 6, 7; Pepo 2, 263, 268
Cucurbita Pepo, Inheritance of cotyledonary characters in 263
Cupania olivacea 193; racemosa 194
Cupresses 503, 516, 519
Cuticularia Ilicis 313
Cylindrosporium 314, 319, 321, 325
Cystopteris bulbifera 362
Cytological study of the early infection stages of the black rot of cabbage, A 173

Cytology of a translocation of the 1.2 chromosome in Datura 197
Cytology of the abscission zone in Mercurialis annua, The 279

Danthonia 213
Darluca 475–478, 480, 482, 484, 486–490; filum 475–482, 485–490; vagans 475, 476; venezuelana 477
Darluca filum, Biological specialization in 475
Darlucis 476
Datura 106, 108, 111–113, 197; stramonium 106, 114
Datura, Cytology of a translocation of the 1.2 chromosome in 197
Dendroctonus brevicomis 26
Descriptions of ten new hybrid poplars 449
Dicoccum Rosae 291
Dicranella heteromalla 90
Digitalis 263
Dioscorea 476
Diplocarpon earliana 293; Rosae 292, 293, 304, 306, 309, 310, 313–323
Diplocarpon Rosae: from spore germination to haustorium formation 291
Diplodia perpusilla 476; uredinicola 476
Diseases in the genus Abutilon, Studies of the occurrence and transmission of virus 53
Drosophila 120, 123, 124, 198; melanogaster 121, 123, 198

Echinocereus Engelmannii 375
Effects of x-rays on growth and respiration of wheat seedlings, The 119
Elaphrium microphyllum 375
Encelia 375, 377; farinosa 375, 376, 378, 380; frutescens 374
Endothia parasitica 316
Entothrix 438; grande 438
Eriastrum 385; filifolium 421
Erysiphe 313, 323; radiosum 291
Eudarluca 476, 477; australis 476, 489; venezuelana 476
Eulemanea 438, 439
Euphorbia cyparissias 314, 321, 327; plicata 377
Eurotium 323
Euthamia tenuifolia 476, 486
Exoascus deformans 322

Fagopyrum 220
Fagus grandifolia 249
Field and herbarium studies II 259
Field study can modify older taxonomic concepts, How 85
Field work, The box huckleberry as an illustration of the need of 81
Field work, The significance of the compiler's data in 71
Field work with cryptogams, its needs and methods 89
Fissidens 91
Flowering and seed production in Amphicarpon floridanum 211
Forchammeria watsoni 378
Fouquieria Macdougalii 375, 378
FRANCIS, DOROTHY S., The effects of x-rays on growth and respiration of wheat seedlings 119
Franseria 375; cordifolia 378; deltoidea 375; dumosa 373–375, 380
Frommea 475, 480; obtusa 481–484
FULLING, EDMUND H., Identification, by leaf structure, of the species of Abies cultivated In the United States 497
Fusarium Rubi 155
Fusicladium pyrinum 301

Gaylussacia brachycera 81–83
Genetic control over the development of shape, Two types of 1
Genus Macairea DC. in northern South America, The 35
Gilia 385, 386; Brauntonii 414; densifolia 386, 388, 390, 393; densifolia **austromontana** 389–391, 396; densifolia elongata 389, 391, 392; densifolia **mohavensis** 388, 392, 393, 396; densifolia sanctorum 388, 390, 391, 396; densifolia **typica** 388, 390, 391, 393; elongata 389; **eremica** 386, 387, 393, 412, 415, 416, 419–421, 424; eremica **arizonica** 396, 417, 419, 420, 421; eremica **typica** 396, 416–419, 421; eremica **Yageri** 396, 417, 420–422, 424; eremica **zionis** 396, 417–419, 421; filifolia 386, 387, 415, 416, 420–423; filifolia diffusa 386, 396, 416, 420–425; filifolia **Hardwoodii** 396, 422, 424, 425; filifolia sparsiflora 396, 422–428; filifolia **typica** 385, 393, 422, 423, 426; floccosa 413, 416, 426, 427; floccosa ambigua 412; floccosa filifolia 421; floribunda 414; Gunnisonii 386; Hugelia 388; lutea 413, 416; lutescens 386, 396, 413, 414, 416; pluriflora 387, 396, 414–416; sapphirina 411; **Sherman-Hoytae** 387, 396, 415, 416, 421; sparsiflora 425; virgata 386, 387, 393, 412, 414, 415, 418, 421, 423, 428; virgata

ambigua 394, 396, 412–414, 416, 420; virgata **dasyantha** 388, 394, 395, 396; virgata filifolia 421; virgata floccosa 416; virgata floribunda 414; virgata oligantha 412; virgata sapphirina 394, 396, 411–413, 416; virgata **typica** 393–396, 423; virgata Yageri 420; Wilcoxii 386, 387, 396, 412, 423, 426–428; Wrightii 386
Gilia (Polemoniaceae), A revision of the subgenus Hugelia of the genus 385, 411
Ginkgo biloba 104
GLEASON, H. A., The genus Macairea DC. in northern South America 35
GLEASON, H. A., AND SMITH, A. C., Plantae Krukovianae II 191
Gloesporium fructigenum 305, 318
GORDON, ROBERT B., Lemanea grandis (Wolle) Atk. rediscovered after forty years 437
Grass, The anatomy of the leaf of Zeugites munroana, an anomalous 429
Guaiacum Coulteri 375
Guazuma ulmifolia 377
Gymnoconia 475
Gymnosporangium 324; clavipes 324; germinale 321; Juniperi-Virginianae 313, 326; myricatum 321, 324

Haematoxylon brasiletto 377
Haploid chromosomes of Riccia glauca 381
Hardwoods, Some physiological effects of girdling northern 249
Haustorium formation, Diplocarpon Rosae: from spore germination to 291
Helianthus annuus 106, 114
Helminthosporium 155, 316
Hemerocallis 495
Herbarium studies II, Field and 259
Hilaria rigida 375
Hordeum 316; vulgare 121
Horkelia **sabulosa** 260
Hosts, The relation of Uromyces Caladii and other rusts to their 155
How field study can modify older taxonomic concepts 85
Huckleberry as an illustration of the need of field work, The box 81
Hugelia 385, 386, 388, 393, 423; Brauntonii 414; densifolia 390; densifolia sanctora 390; eremica 416, 417; filifolia 421; filifolia sparsiflora 425; floccosa 416; lanata 428; lutea 413; montana 389; virgata 393, 394; virgata dasyantha 395; virgata pygmaea 423; virgata sapphirina 411
Hugelia of the genus Gilia (Polemoniaceae), A revision of the subgenus 385, 411
HUMPHREY, ESTELLA, A study of pollen-tube behavior in Lilium regale Wil. 491
Hyalopsora 347, 348, 351–353; aspidiotus 345, 352, 354
Hybrid poplars, Descriptions of ten new 449
Hymenoclea monogyra 374
Hymenophyllum 11

Ichthyomethia mollis 376–378
Identification, by leaf structure, of the species of Abies cultivated in the United States 497
Ilex 313
Index to American Botanical Literature 41, 93, 163, 225, 271, 330, 397, 461, 525
Inga vera 476
Inheritance of cotyledonary characters in Cucurbita Pepo 263
Ipomoea arborea 378, 379
Iris 349, 354
Isoachlya unispora 16
Ivesia sabulosa 260

Jamesia americana 21
Jatropha cardiophylla 375; cinerea 375; spathulata 375
JENNINGS, O. E., Field work with cryptogams, its needs and methods 89
JOHANSEN, D. A., Haploid chromosomes of Riccia glauca 381
JOHNSON, MARION A., The origin of the foliar pseudo-bulbils in Kalanchoë daigremontiana 355
Juncoides campestre 477, 479, 489, 490
Juncus 487; effusus 479; tenuis 479, 484, 490
Juniperus 237, 238, 321, 503; barbadensis 238; communis 21; monosperma 21

KAISER, SAMUEL, AND SINNOTT, EDMUND W., Two types of genetic control over development of shape 1
Kalanchoë 362; daigremontiana 355, 361–364; tubiflora 362
Kalanchoë daigremontiana, The origin of the foliar pseudo-bulbils in 355
Karwinskia humboldtiana 377
KEENER, PAUL D., Biological specialization in Darluca filum 475
KEUR, JOHN Y., Studies of the occurrence and transmission of virus diseases in the genus Abutilon 53
Kitaibelia vitifolia 53, 54, 61

Krameria Grayi 375
Kuehneola 475, 480; Uredinis 480, 481, 483, 484, 486

Langloisia 386
Lantana camara 377
Larrea 375; tridentata 373, 374, 380
Lavatera arborea 53, 54, 61, 64, 68
Lemaireocereus Thurberi 375, 376, 378
Lemanea 437–439; australis 439; fucina 438; grandis 437–439
Lemanea grandis (Wolle) Atk., rediscovered after forty years 437
Lemna 233; minor 235
Leontodon Taraxacum 479, 482
Lepidium 259; alyssoides 260; hirsutum 259; Nelsonii 259; scopulorum 260; tenellum 259; tortum 260; virginicum 259
LEVINE, MICHAEL, A preliminary report on plants treated with the carcinogenic agents of animals 103
Lilium regale 491–494
Lilium regale Wil., A study of pollen-tube behavior in 491
Literature, Index to American Botanical 41, 93, 163, 225, 271, 330, 397, 461, 525
LIVINGSTON, BURTON E., Possible importance of respiration water to young wheat seedlings 217
Lonchocarpus megalanthus 379
Lophocereus Schottii 375, 376, 378
Lychnis alba 480
Lycium Andersonii 374, 375; Richii 375
Lycopersicum 1
Lycopodium lucidulum 362, 365; Selago 362

Macairea 35, 36; adenostemon 35, 36; albiflora 35, 36, 38, 39; arirambae 36, 38, 39; aspera 36, 38, 39; clavescens 38, 40; duidae 36, 37, 40; foveolata 36, 38, 39; glabrescens 36–38; goyazensis 36; lanata 36, 37, 39; ledifolia 36; linearis 36, 38, 39; Mosenii 36; multinervia 35, 38, 39; pachyphylla 35, 38, 39; parvifolia 35, 38, 39; Radula 35, 38, 39; rigida 35, 38, 40; rufescens 35, 37, 38; scabra 36, 38, 39; sericea 35, 36; Spruceana 35, 37; 39; stylosa 35, 37, 38, 40; sulcata 35, 37, 38, Theresiae 36, 40; thyrsiflora 35, 37, 38; villosa 36; viscosa 36, 38, 40
Macairea DC. in northern South America, The genus 35
Malva mauritiana 53, 61; verticillata 53, 61
Malvastrum capense 53, 54
Marsonia Rosae 291, 292, 324
McCOY, RALPH W., The anatomy of the leaf of Zeugites munroana, an anomalous grass 429
MEIER, DOROTHY, A cytological study of the early infection stages of the black rot of cabbage 173
Meiosis in Milesia marginalis 345
Melampsora 457, 460, 475, 490; confluens 476
Mentha spicata 482
Mercurialis annua 279, 280, 283, 284, 286, 289
Mercurialis annua, The cytology of the abscission zone in 279
MERL, EDMUND M., A new Brazilian species of the genus Utricularia 367
MERRILL, E. D., The significance of the compiler's data in field work 71
Mespilodaphne 192
Mexico, Vegetation of the northwestern coast of 373
Micranthes virginiensis 485
Micromyces Zygogonii 16
Milesia 347, 348, 351, 352; fructuosa 352; intermedia 352; marginalis 345, 346, 351, 352, 354
Milesia marginalis, Meiosis in 345
Milium amphicarpum 211
Mimosa Grahami 377
Mimusops emarginata 237, 239; sieberifolia 240
Missouri, Spirodela oligorrhiza collected in 233
Moquilea 193; elata 193; riparia 192, 193
Moschoxylum 193
Muhlenbergia Schreberi 479
Multiciliate zoospores in Physoderma Zeaemaydis 13

Navarretia 385, 386, 423; Abramsii 385, 423; densifolia 388; densifolia elongata 389; densifolia eu-densifolia 391; densifolia jacumbana 417, 418; densifolia lanata 394; filifolia 421; filifolia diffusa 423; filifolia eufilifolia 421; filifolia sparsiflora 425; lutea 413; virgata 393, 394; virgata dasyntha 395; virgata floccosa 416; virgata floribunda 414; virgata gymnocephala 411; virgata oligantha 411; virgata sapphirina 411; Wilcoxii 426
New Brazilian species of the genus Utricularia, A 367
Nicotiana 62, 493; tabacum 121; tabacum Burley 106, 114
Nucleophaga 16
Nymphaea 263

Ocotea Beyrichii 192; Froesii 191
OJERHOLM, ELIZABETH, Multiciliate zoospores in Physoderma Zeaemaydis 13

Olneya 375; tesota 374, 375, 378, 380
Olpidiella uredinis 16
Olpidium brassicae 15; radicale 16; viceae 16
Opuntia Bigelovii 375; fulgida 376, 377; Keyensis 106, 109, 114; ramosissima 374, 375; Thurberi 375–377
Origin of the foliar pseudo-bulbils in Kalanchoë daigremontiana, The 355
Orthoclada 429

Pachycereus pecten-arboriginum 377, 378; Pringlei 375
PADY, S. M. Meiosis in Milesia marginalis 345
Palava malvaefolia 53
Panicum 213
Parosela lanata 262; **Paysoniae** 262; spinosa 374
Paspalum 211; amphicarpum 211; Humboldtianum 490
Paullinia sonorensis 377
Pediastrum 286, 289
Pedicularis **atrosanguinea** 442, 443; bracteosa 441, 442, 444; Canbyi 441, 443, 448; **flavida** 442, 445; **latifolia** 443, 448; montanensis 441, 444; **pachyrhiza** 442, 445; **paddoensis** 442, 444; **Paysoniana** 442, 444, 446; sufolia 441, 443, 448; **Thompsonii** 442, 443, 447
Pedicularis of the group Bracteosae, Scrophulariaceae of the northwestern United States —II 441
Pellaea viridis 9–11
Pellaea viridis (Forsk.) Prantl, The archegonia of 9
Penicillium glaucum 302
PENNELL, FRANCIS W., How field study can modify older taxonomic concepts 85; Scrophulariaceae of the northwestern United States—II. Pedicularis of the group Bracteosae 441
Pentstemon hirsutus 87; pubescens 88
Peridermium 475; Peckii 476, 489
Peronospora Schleidenii 155, 316
Petalonyx Thurberi 374
Peziza Sclerotiorum 302
Phakopsora 475
Pharus 429
Phaseolus 121; vulgaris 482
Phleum pratense 479, 482
Phoma filum 475
Phragmidium 475; Potentillae 476
Phyllorachis 429
Physiological effects of girdling northern hardwoods, Some 249
Physoderma Zeae-maydis 13, 15, 16
Physoderma Zeae-maydis, Multiciliate zoospores in 13
Phytophthora infestans 155, 316, 320, 326; parasitica 313, 324; terrestris 155
Picea 501, 503
Pileolaria 475; Terebinthii 476
Pine in Estes Park, Colorado, The rate of growth of the ponderosa 19
Pinus 501, 503, 517, 519, 521; canadensis 520; caribaea 237; Douglasii 520; Elliotii 517; flexilis 22; grandis 520; Hookeriana 520; lasiocarpa 520; mertensiana 520; monophylla 520; Nordmanniana 520; Pattoniana 520; pectinata 520; Pithyusa 518; ponderosa 19, 29; Sieboldii nana 520; Strobus 314; sylvestris 520
Pirus ioensis 104; Malus 104
Pisum 220; sativum 105, 124
Pithecolobium sonorae 377, 378
Plant introduction of the U. S. Department of Agriculture, Aims and objectives of 75
Plantae Krukovianae II 191
Plants from Cuba, Pleistocene 237
Plants treated with the carcinogenic agents of animals, A preliminary report on 103
Plasmopara viticola 313
Pleistocene plants from Cuba 237
Poa compressa 482, 486, 490
Poisons, The so-called "chemical stimulation" of Aspergillus niger by iron, zinc, and other heavy metal 241
(Polemoniaceae), A revision of the subgenus Hugelia of the genus Gilia 385, 411
Pollen-tube behavior in Lilium regale Wil., A study of 491
Polygonum aviculare 479, 482
Polypompholyx 367
Ponderosa pine in Estes Park, Colorado, The rate of growth of the 19
Poplars, Descriptions of ten new hybrid 449
Populus balsamifera virginiana 460; berolinensis 449–451, 453, 458, 459; laurifolia 453–455, 457, 459; Maximowiczii 449–453, 459; nigra 453–457, 459; nigra betulifolia 457, 459; nigra plantierensis 452, 459; tacamahacca 458; tacamahacca candicans 458; trichocarpa 451, 456, 457, 459, 460
Possible importance of respiration water to young wheat seedlings 217
Potentilla **albiflora** 260; canadensis 482; ma-

culata 261; **rubida** 261; sabulosa 260; Thurberi 262
Pouteria cladantha 196; lateriflora 196; **ovata** 196
Preliminary report on plants treated with the carcinogenic agents of animals, A 103
Prosopis 375; glutinosa 378; velutina 374–576, 380
Pseudo-bulbils in Kalanchoë daigremontiana, The origin of the foliar 355
Pseudocladia 196
Pseudomonas Pisi 177
Pseudoperonospora Humuli 155
Pseudotsuga 503, 520; taxifolia 19
Pteris ensiformis Victoria 11
Puccinia 313, 475, 476, 478, 480, 485, 487; Acetosae 481, 482; Anemones-virginianae 480, 481, 483–485, 487; Antirrhini 481–483; Asparagi 477, 490; Asphodeli 155; Circaeae 480, 481, 483, 485, 487, 490; Cirsii-lanceolati 350; Clematidis 481–484; coronifera 299, 318; curtipes 485; dispersa 326; epiphylla 490; graminis 303, 327; graminis Tritici 321, 323; hibisciata 479; Hieracii 479, 481, 482; Malvacearum 353, 479, 481–483, 485, 487; Menthae 481–483; obscura 477–479, 486, 489, 490; Peckii 477–479, 489; poculiformis 479, 481–484, 486, 487; Podophylli 353; Sorghi 155, 157, 161, 479, 481–484, 488–490; tubulosa 490; Violae 479; Xanthii 485
Pucciniastrum Myrtilli 476
Purshia tridentata 21
Pythiopsis 16
Pythium 158, 320; debaryanum 158, 325

Rate of growth of the ponderosa pine in Estes Park, Colorado, The 19
Rathbunia 377; alamosensis 376
Ravenelia 475; Ingae 476; spinulosa 476
Relation of Uromyces Caladii and other rusts to their hosts, The 155
Report on plants treated with the carcinogenic agents of animals, A preliminary 103
Respiration water to young wheat seedlings, Possible importance of 217
Revision of the subgenus Hugelia of the genus Gilia (Polemoniaceae), A 385, 411
Rhexia Radula 35, 39
Rhizopus 158, 320
Ribes 21
Riccia glauca 381–383
Riccia glauca, Haploid chromosomes of 381
RICE, MABEL A., The relation of Uromyces Caladii and other rusts to their hosts 155
Ricinus 106, 108, 111–113; communis 106, 114
Rosa 106, 114; centifolia 291, 300; gallica 291, 300; humilis 292; hybrida 291; indica 300; rubiginosa 291, 300; tomentosa 291; turbinata 291
Rubus allegheniensis 480
Rumex Acetosella 482
Rusts to their hosts, The relation of Uromyces Caladii and other 155
RYERSON, KNOWLES A., Aims and objectives of plant introduction of the U. S. Department of Agriculture 75

Saccharomyces cerevisiae 121
Sacheria 439
SAEGER, ALBERT, Spirodela oligorrhiza collected in Missouri 233
Salix fragilis 106, 114; lutea 476
Sanicula 86
Sapium biloculare 375
Saprolegnia 16; monoica glomerata 16
Schizaea 11
SCHREINER, E. J., AND STOUT, A. B., Descriptions of ten new hybrid poplars 449
Sciadopitys 503, 520
Sclerospora graminicola 314, 324
Sclerotinia 301, 318; Libertiana 303, 323; Sclerotiorum 301
Scrophulariaceae of the northwestern United States—II. Pedicularis of the group Bracteosae 441
Seed production in Amphicarpon floridanum, Flowering and 211
Seedlings, Possible importance of respiration water to young wheat 217
Seedlings, The effects of x-rays on growth and respiration of wheat 119
Septogloeum Hartigianum 321, 325
SHREVE, FORREST, Vegetation of the northwestern Coast of Mexico 373
Sida napaea 53, 61
Significance of the compiler's data in field work, The 71
Sinapis alba 124
SINNOTT, EDMUND W., AND KAISER, SAMUEL. Two types of genetic control over the development of shape 1
Sisyrinchium 86
Sloanea Garckeana 195; **reticulata** 194
SMITH, A. C., AND GLEASON, H. A, Plantae Kurkovianae II 191
So-called "chemical stimulation" of Aspergillus

niger by iron, zinc, and other heavy metal poisons, The 241
Solanum Lycopersicum 106, 114; melongena 106, 114
Solidago 482, 486
Some physiological effects of girdling northern hardwoods 249
Sorodiscus radicicolus 16
South America, The genus Macairea DC. in northern 35
SPERRY, OMER E., The rate of growth of the ponderosa pine in Estes Park, Colorado 19
Sphaeria filum 475
Sphaerita 16
Spirodela 233; intermedia 233; oligorrhiza 233, 234; polyrrhiza 233–235; punctata 233; thermalis 233
Spirodela oligorrhiza collected in Missouri 233
Spirogyra 121
Spondiaecarpum 239
Spondias 238; lutea 237–239, mangifera 239; purpurea 238, 239
Spore germination to haustorium formation, Diplocarpon Rosae: from 291
Sporobolus 213
Stages of the black rot of cabbage, A cytological study of the early infection 173
Stagnospora Curtisii 305
STEIL, W. N., The archegonia of Pellaea viridis (Forsk.) Prantl 9
STEINBERG, ROBERT A., The so-called "chemical stimulation" of Aspergillus niger by iron, zinc, and other heavy metal poisons 241
Stereodon imponens 90
STOUT, A. B., AND SCHREINER, E. J., Descriptions of ten new hybrid poplars 449
Studies II, Field and herbarium 259
Studies of the occurrence and transmission of virus diseases in the genus Abutilon 53
Study of pollen-tube behavior in Lilium regale Wil., A 491
Study of the early infection stages of the black rot of cabbage, A cytological 173
Synchytrium 16; endobioticum 16
Synthyris 86

Taxodium 503, 516
Taxonomic concepts, How field study can modify older 85
Taxus baccata 501
Tetrachytrium 15
Tetrameris 36; trivalvis 39
Tetraspora lubrica 16
THAYER, GARDIS B., Inheritance of cotyledonary characters in Cucurbita Pepo 263
Thelypteris marginalis 345
Tillandsia 379
Tilletia Tritici 318, 324
Torreya 503
Translocation of the 1.2 chromosome in Datura, Cytology of a 197
Tranzschelia 475; punctata 476
Trentepohlia umbrina 16
Trichilia **Froesii** 193; japurensis 193
Trichomanes 11
Trifolium pratense 479
Trigonocarpus 193
Triticum aestivum 482; vulgare 123, 125
Tsuga 503, 519, 520; canadensis 476
Tuomeya 437, 438; fluvitilis 438; grande 438
Two types of genetic control over the development of shape 1

United States Department of Agriculture, Aims and objectives of plant introduction of the 75
United States, Identification, by leaf structure, of the species of Abies cultivated in 497
United States—II. Pedicularis of the group Bracteosae, Scrophulariaceae of the northwestern 441
Uredo 475; Dioscoreae 476
Urocystis cepulae 158; occulta 314
Uromyces 313, 475, 476, 478, 480; appendiculatus 481–483; Betae 313; Caladii 155–159, 161, 316, 326; caryophyllinus 477, 481, 482, 487; fallens 479; Junci 487; Junci-effusi 479; Pisi 314, 321, 327; Polygoni 479, 481–484; Silphii 479, 484, 490; verruculosus 480, 481, 487
Uromyces Caladii and other rusts to their hosts, The relation of 155
Uromycladium 475; simplex 476
Urophlyctis 16; Alfalfae 15
Ustilago Zeae 314
Utricularia 367, 369; amethystina 370; bicolor 370; colorata 370; dubia 370; Dusenii 370; fontana 370; fusiformis 370; globulariaefolia 370; Gomezii 370; Lindmanni 370; **Lloydii** 367, 368, 370; Meyeri 370; micrantha 370; modesta 370; reniformis 370; Selloi 370; spicata 370; ternata 370; tridentata 370; volubilis 367
Utricularia, A new Brazilian species of the genus 367

Vaccinium brachycerum 81
Vallesia glabra 377

Vegetation of the northwestern Coast of Mexico 373
Vicia Faba 105, 123–125
Viola 479
Virus diseases in the genus Abutilon, Studies of the occurrence and transmission of 53
Vitex mollis 377

WEATHERWAX, PAUL, Flowering and seed production in Amphicarpon floridanum 211
Welwitschia 385; diffusa 423; filifolia 421; floccosa 416; Wilcoxii 426
Wheat seedlings, Possible importance of respiration water to young 217
Wheat seedlings, The effects of x-rays on growth and respiration of 119
WHERRY, EDGAR T., The box huckleberry as an illustration of the need of field work 81
WILLIAMS, LOUIS, Field and herbarium studies II 259
Wolffia 234

Xanthium pennsylvanicum 485
X-rays on growth and respiration of wheat seedlings, The effects of 119

YAMPOLSKY, CECIL, The cytology of the abscission zone in Mercurialis annua 279

Zea Mays 121, 124, 157, 479
Zeugites 429; munroana 429, 430, 435, 436
Zeugites munroana, an anomalous grass, The anatomy of the leaf of 429
Zizyphus sonorensis 378, 379
Zoospores in Physoderma Zeae-maydis, Multiciliate 13